```
Sequence Listing could not be accepted.
If you need help call the Patent Electronic Business Center at (866)
217-9197 (toll free).
Reviewer: Durreshwar Anjum
Timestamp: [year=2010; month=4; day=6; hr=14; min=39; sec=57; ms=399; ]
______
***************
Reviewer Comments:
<210> 25
<211> 16
<212> PRT
<213> Artificial sequence
<220>
<223> Consensus sequence of Synthetic Susy and ARP sequences
<220>
<221> VARIANT
<222> (2)..(2)
\langle 223 \rangle X=His or Asn
<220>
<221> VARIANT
<222> (5)..(5)
\langle 223 \rangle X= Val or Leu
<220>
<221> VARIANT
<222> (6)..(6)
<223> X= Arg, Tyr or Lys
<220>
```

<220>

<221> VARIANT <222> (7)..(7)

 $\langle 223 \rangle$ X= Lys, Asn, Asp

```
<221> VARIANT
<222> (9)..(9)
\langle 223 \rangle X= Ile or Asp
<220>
<221> VARIANT
<222> (10)..(10)
\langle 223 \rangle X= Ser or Asp
<220>
<221> VARIANT
<222> (11)..(11)
<223> X= Arg or Met
<220>
<221> VARIANT
<222> (12)..(12)
<223> X= Glu, Phe, Cys, or Lys
<220>
<221> VARIANT
<222> (13)..(13)
<223> X= Glu, Asp, Lys, Arg, or His
<220>
<221> VARIANT
<222> (14)..(14)
\langle 223 \rangle X= Ile, Leu, or Val
<220>
<221> VARIANT
<222> (16)..(16)
<223> X= Phe-Tyr-Leu or His-His-Thr-Phe
<220>
<221> VARIANT
<222> (16)..(16)
<223> X= Phe-Tyr-Leu or His-His-Thr-Phe-Tyr
<400>
      25
```

Glu Xaa Gly Ile Xaa Xaa Xaa Trp Xaa Xaa Xaa Xaa Xaa Trp Xaa

Invalid explanation for "Xaa" at location 16, Each "Xaa" ca represent only single Amino Acid. If "Xaa" has to be " Phe-Tyr-Leu or His-His-Thr-Phe-Tyr" you have to insert 4 "Xaa's " and inset the locations at numeric identifier <222> and change the total number of Amino Acid bases in numeric identifier <211>.

Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866) 217-9197 (toll free).

Reviewer: Saleem, Syed (ASRC)

Timestamp: [year=2010; month=4; day=5; hr=9; min=33; sec=34; ms=714;]

Validated By CRFValidator v 1.0.3

Application No: 10576757 Version No: 4.0

Input Set:

Output Set:

Started: 2010-03-30 02:59:59.786 **Finished:** 2010-03-30 03:00:05.086

Elapsed: 0 hr(s) 0 min(s) 5 sec(s) 300 ms

Total Warnings: 29

Total Errors: 0
No. of SeqIDs Defined: 29

Actual SeqID Count: 29

Error code		Error Description									
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(1)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(2)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(3)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(4)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(5)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(6)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(7)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(8)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(9)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(10)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(11)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(12)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(13)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(14)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(15)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(16)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(17)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(18)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(19)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(20)

Input Set:

Output Set:

Started: 2010-03-30 02:59:59.786

Finished: 2010-03-30 03:00:05.086

Elapsed: 0 hr(s) 0 min(s) 5 sec(s) 300 ms

Total Warnings: 29

Total Errors: 0

No. of SeqIDs Defined: 29

Actual SeqID Count: 29

Error code Error Description

This error has occured more than 20 times, will not be displayed

SEQUENCE LISTING

```
<110> Winter Sederoff, Heike
      Huber, Steven C
      Larabell, Carolyn A
<120> SYNTHETIC PEPTIDES THAT CAUSE F-ACTIN BUNDLING AND BLOCK ACTIN
      DEPOLYMERIZATION
<130> JIB-1571
<140> 10576757
<141> 2010-03-30
<150> US 60/513,275
<151> 2003-10-20
<160> 29
<170> PatentIn version 3.5
<210> 1
<211> 15
<212> PRT
<213> Artificial
<220>
<223> synthetic consensus active Zea mays Sucrose Synthase (SuSy)
      peptide
<400> 1
Glu Asn Gly Ile Val Arg Lys Trp Ile Ser Arg Phe Glu Val Trp
                                  10
<210> 2
<211> 15
<212> PRT
<213> Artificial
<220>
<223> synthetic peptide derived from Zea mays SuSy1 protein 367-381
<400> 2
Glu Asn Gly Ile Leu Arg Lys Trp Ile Ser Arg Phe Asp Val Trp
              5
                                 10
<210> 3
<211> 15
<212> PRT
<213> Artificial
```

```
<223> synthetic peptide derived from Zea mays SuSy2 protein 357-389
<400> 3
Glu Asn Gly Ile Val Arg Lys Trp Ile Ser Arg Phe Glu Val Trp
                                  10
<210> 4
<211> 15
<212> PRT
<213> Artificial
<220>
<223> synthetic peptide derived from Zea mays SuSy3 protein
<400> 4
Glu Asn Gly Ile Leu Lys Lys Trp Ile Ser Arg Phe Asp Val Trp
<210> 5
<211> 15
<212> PRT
<213> Artificial
<220>
<223> synthetic peptide derived from Drosophila melanogaster Actin 2
      protein and Homo sapiens beta and gamma Actin proteins
<400> 5
Glu His Gly Ile Val Thr Asn Trp Asp Asp Met Glu Lys Ile Trp
                                  10
<210> 6
<211> 15
<212> PRT
<213> Artificial
<220>
<223> synthetic peptide derived from Drosophila melanogaster Actin 3,
      5, and 6 proteins and Homo sapiens alpha Actin protein
<400> 6
Glu His Gly Ile Ile Thr Asn Trp Asp Asp Met Glu Lys Ile Trp
                                   10
<210> 7
<211> 15
<212> PRT
<213> Artificial
```

```
<223> synthetic peptide derived from Drosophila melanogaster ARP1
<400> 7
Glu His Gly Ile Val Lys Asp Trp Asn Asp Met Glu Arg Ile Trp
                                  10
<210> 8
<211> 15
<212> PRT
<213> Artificial
<220>
<223> synthetic peptide derived from Drosophila melanogaster ARP2
<400> 8
Glu Asn Gly Val Val Arg Asn Trp Asp Asp Met Cys His Val Trp
              5
                                 10
<210> 9
<211> 17
<212> PRT
<213> Artificial
<220>
<223> synthetic SS1 inactive control peptide
<220>
<221> peptide
<222> (1)..(17)
<400> 9
Gly Asp Arg Val Leu Ser Arg Leu His Ser Val Arg Glu Arg Ile Gly
                                  10
Lys
<210> 10
<211> 18
<212> PRT
<213> Artificial
<223> SS2 active peptide based on Zea mays SuSy 377-392
<400> 10
```

Gly Ile Val Arg Lys Trp Ile Ser Arg Phe Glu Val Trp Pro Tyr Leu

1 5 10 15

Lys Lys

<210> 11 <211> 15 <212> PRT <213> Artificial <220> <223> SS11 inactive synthetic peptide <400> 11 Ile Leu Arg Val Pro Phe Arg Thr Glu Asn Gly Ile Val Arg Lys 10 <210> 12 <211> 16 <212> PRT <213> Artificial <220> <223> SS12 active synthetic peptide <400> 12

Gly Ile Val Arg Lys Trp Ile Ser Arg Phe Glu Val Trp Pro Tyr Leu 1 5 10 15

<210> 13

<211> 16

<212> PRT

<213> Artificial

<220>

<223> SS15 less active synthetic peptide

<220>

<221> SITE

<222> (6)..(6)

<223> replaced Tryptophan residue with Alanines

<220>

<221> SITE

<222> (13)..(13)

<223> replaced Tryptophan residue with Alanine

<400> 13

Gly Ile Val Arg Lys Ala Ile Ser Arg Phe Glu Val Ala Pro Tyr Leu

1 5 10 15

<210> 14 <211> 9 <212> PRT <213> Artificial <220> <223> SS16 less active synthetic peptide corresponding to short middle portion of SS12 synthetic peptide <400> 14 Ser Arg Phe Glu Val Trp Pro Tyr Leu 5 <210> 15 <211> 19 <212> PRT <213> Artificial <220> <223> NR11 inactive synthetic peptide <400> 15 Gly Pro Thr Leu Lys Arg Thr Ala Ser Thr Ala Phe Met Asn Thr Thr Ser Lys Lys <210> 16 <211> 14 <212> PRT <213> Artificial <220> <223> SP26 inactive synthetic peptide <400> 16 Gly Arg Met Arg Arg Ile Ala Thr Val Glu Met Met Lys Lys 5 10 <210> 17 <211> 8 <212> PRT <213> Artificial

<223> Small block of SS12 sequence required for less active synthetic

```
<400> 17
Trp Ile Ser Arg Phe Glu Val Trp
<210> 18
<211> 10
<212> PRT
<213> Artificial
<220>
<223> SP3 inactive synthetic peptide
<400> 18
Arg Arg Ile Ser Ser Val Glu Asp Lys Lys
<210> 19
<211> 20
<212> PRT
<213> Artificial
<220>
<223> synthetic peptide of Drosophila melanogaster Actin protein
      consensus sequence
<400> 19
Glu His Gly Ile Val Thr Asn Trp Asp Asp Met Glu Lys Ile Trp His
His Thr Phe Tyr
          20
<210> 20
<211> 15
<212> PRT
<213> Artificial
<223> synthetic peptide derived from Homo sapiens ARP1 protein
<400> 20
Glu His Gly Val Val Arg Asp Trp Asn Asp Met Glu Arg Ile Trp
                           10
```

peptide

<210> 21 <211> 15

```
<212> PRT
<213> Artificial
<220>
<223> synthetic peptide derived from Homo sapiens ARP2 protein
<400> 21
Glu Asn Gly Ile Val Arg Asn Trp Asp Asp Met Lys His Leu Trp
                                10
<210> 22
<211> 6
<212> PRT
<213> Artificial
<220>
<223> Core minimum block of SS12 sequence required for less active
      synthetic peptide
<400> 22
Ser Arg Phe Glu Val Trp
<210> 23
<211> 13
<212> PRT
<213> Artificial
<220>
<223> SS synthetic peptide B
<400> 23
Trp Ile Ser Arg Phe Glu Val Trp Pro Tyr Leu Lys Lys
              5
                                 10
<210> 24
<211> 20
<212> PRT
<213> Artificial
<220>
<223> SS synthetic peptide C
<400> 24
Glu Asn Gly Ile Val Arg Lys Trp Ile Ser Arg Phe Glu Val Trp Pro
              5
                                 10
```

Tyr Leu Lys Lys

```
<211> 16
<212> PRT
<213> Artificial sequence
<220>
<223> Consensus sequence of Synthetic Susy and ARP sequences
<220>
<221> VARIANT
<222> (2)..(2)
<223> X=His or Asn
<220>
<221> VARIANT
<222> (5)..(5)
<223> X= Val or Leu
<220>
<221> VARIANT
<222> (6)..(6)
<223> X= Arg, Tyr or Lys
<220>
<221> VARIANT
<222> (7)..(7)
<223> X= Lys, Asn, Asp
<220>
<221> VARIANT
<222> (9)..(9)
<223> X= Ile or Asp
<220>
<221> VARIANT
<222> (10)..(10)
<223> X= Ser or Asp
<220>
<221> VARIANT
<222> (11)..(11)
<223> X= Arg or Met
<220>
<221> VARIANT
<222> (12)..(12)
<223> X= Glu, Phe, Cys, or Lys
<220>
<221> VARIANT
<222> (13)..(13)
<223> X= Glu, Asp, Lys, Arg, or His
```

<210> 25

```
<221> VARIANT
<222> (14)..(14)
<223> X= Ile, Leu, or Val
<220>
<221> VARIANT
<222> (16)..(16)
<223> X= Phe-Tyr-Leu or His-His-Thr-Phe
<220>
<221> VARIANT
<222> (16)..(16)
<223> X= Phe-Tyr-Leu or His-His-Thr-Phe-Tyr
<400> 25
Glu Xaa Gly Ile Xaa Xaa Xaa Trp Xaa Xaa Xaa Xaa Xaa Trp Xaa
              5
                                 10
<210> 26
<211> 15
<212> PRT
<213> Artificial sequence
<220>
<223> Motif for a synthetic peptide which causes actin bundling and
      inhbits actin depolymerization
<220>
<221> VARIANT
<222> (2)..(2)
<223> X = any amino acid
<220>
<221> VARIANT
<222> (4)..(4)
<223> X = Ile or Val
<220>
<221> VARIANT
<222> (5)..(7)
<223> X = any amino acid
<220>
<221> VARIANT
<222> (9)..(14)
<223> X = any amino acid
<400> 26
Glu Xaa Gly Xaa Xaa Xaa Xaa Trp Xaa Xaa Xaa Xaa Xaa Trp
              5
                                 10
```

```
<211> 15
<212> PRT
<213> Artificial sequence
<220>
<223> Motif for a synthetic peptide that causes actin bundling and
      inhibits actin depolymerization
<220>
<221> VARIANT
<222> (2)..(2)
<223> X= Lys, Arg, or His
<220>
<221> VARIANT
<222> (5)..(5)
<223> X= Ala, Val, Leu, Ile, Phe, Trp, Pro, or Met
<220>
<221> VARIANT
<222> (6)..(6)
<223> X= Lys, Arg, or His
<220>
<221> VARIANT
<222> (7)..(7)
<223> X= any amino acid
<220>
<221> VARIANT
<222> (9)..(13)
<223> X= any amino acid
<220>
<221> VARIANT
<222> (14)..(14)
<223> X= Ala, Val, Leu, Ile, Phe, Trp, Pro, or Met
<400> 27
Glu Xaa Gly Ile Xaa Xaa Xaa Trp Xaa Xaa Xaa Xaa Xaa Trp
               5
                                  10
<210> 28
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Formula (I) for active synthetic peptides
<220>
<221> VARIANT
```

<222> (3)..(3)

```
\langle 223 \rangle X = Ile, Val, or Leu
<220>
<221> VARIANT
<222> (4)..(4)
<223> X = Arg, Lys, Asn, or Thr
<220>
<221> VARIANT
<222> (5)..(5)
<223> X = Arg, Lys, Asn, or Asp
<220>
<221> VARIANT
<222> (7)..(7)
\langle 223 \rangle X = Ile, Asp, Asn, or Glu
<220>
<221> VARIANT
<222> (8)..(8)
\langle 223 \rangle X = Ser, or Asp
<220>
<221> VARIANT
<222> (9)..(9)
\langle 223 \rangle X = Arg, Met, or Ala
<220>
<221> VARIANT
<222> (10)..(10)
\langle 223 \rangle X = Phe, or Glu
<220>
<221> VARIANT
<222> (11)..(11)
<223> X =Asp, Glu, Lys, Arg, or His
<220>
<221> VARIANT
<222> (12)..(12)
\langle 223 \rangle X =Val, or Ile
<220>
<221> VARIANT
<222> (14)..(14)
\langle 223 \rangle X =Pro, or His
<220>
<221> VARIANT
<222> (15)..(15)
<223> X =Tyr, or His
<220>
<221> VARIANT
<222> (16)..(16)
<223> X =Leu, or Thr
```

```
<400> 28
```

```
10
<210> 29
<211> 13
<212> PRT
<213> Artificial Sequence
<220>
<223> Formula (II) for synthetic active peptides
<220>
<221> VARIANT
<222> (3)..(3)
<223> X = Ala, Val, Leu, Ile, Phe, Trp, Pro, or Met
<220>
<221> VARIANT
<222> (4)..(4)
\langle 223 \rangle X = Lys, Arg, or His
<220>
<221> VARIANT
<222> (5)..(5)
<223> X = any amino acid
<220>
<221> VARIANT
<222> (7)..(11)
<223> X = any amino acid
<220>
<221> VARIANT
<222> (12)..(12)
<223> X = Lys, Arg, or His
<400> 29
Gly Ile Xaa Xaa Xaa Trp Xaa Xaa Xaa Xaa Xaa Trp
              5
                                  10
```

Gly Ile Xaa Xaa Xaa Trp Xaa Xaa Xaa Xaa Xaa Trp Xaa Xaa Xaa

SEQUENCE LISTING

```
<110> Winter Sederoff, Heike
      Huber, Steven C
      Larabell, Carolyn A
<120> SYNTHETIC PEPTIDES THAT CAUSE F-ACTIN BUNDLING AND BLOCK ACTIN
      DEPOLYMERIZATION
<130> JIB-1571
<140> 10576757
<141> 2010-03-30
<150> US 60/513,275
<151> 2003-10-20
<160> 29
<170> PatentIn version 3.5
<210> 1
<211> 15
<212> PRT
<213> Artificial
<220>
<223> synthetic consensus active Zea mays Sucrose Synthase (SuSy)
      peptide
<400> 1
Glu Asn Gly Ile Val Arg Lys Trp Ile Ser Arg Phe Glu Val Trp
                                  10
<210> 2
<211> 15
<212> PRT
<213> Artificial
<220>
<223> synthetic peptide derived from Zea mays SuSy1 protein 367-381
<400> 2
Glu Asn Gly Ile Leu Arg Lys Trp Ile Ser Arg Phe Asp Val Trp
              5
                                 10
<210> 3
<211> 15
<212> PRT
<213> Artificial
```

```
<223> synthetic peptide derived from Zea mays SuSy2 protein 357-389
<400> 3
Glu Asn Gly Ile Val Arg Lys Trp Ile Ser Arg Phe Glu Val Trp
                                  10
<210> 4
<211> 15
<212> PRT
<213> Artificial
<220>
<223> synthetic peptide derived from Zea mays SuSy3 protein
<400> 4
Glu Asn Gly Ile Leu Lys Lys Trp Ile Ser Arg Phe Asp Val Trp
<210> 5
<211> 15
<212> PRT
<213> Artificial
<220>
<223> synthetic peptide derived from Drosophila melanogaster Actin 2
      protein and Homo sapiens beta and gamma Actin proteins
<400> 5
Glu His Gly Ile Val Thr Asn Trp Asp Asp Met Glu Lys Ile Trp
                                  10
<210> 6
<211> 15
<212> PRT
<213> Artificial
<220>
<223> synthetic peptide derived from Drosophila melanogaster Actin 3,
      5, and 6 proteins and Homo sapiens alpha Actin protein
<400> 6
Glu His Gly Ile Ile Thr Asn Trp Asp Asp Met Glu Lys Ile Trp
                                   10
<210> 7
<211> 15
<212> PRT
<213> Artificial
```

```
<223> synthetic peptide derived from Drosophila melanogaster ARP1
<400> 7
Glu His Gly Ile Val Lys Asp Trp Asn Asp Met Glu Arg Ile Trp
                                  10
<210> 8
<211> 15
<212> PRT
<213> Artificial
<220>
<223> synthetic peptide derived from Drosophila melanogaster ARP2
<400> 8
Glu Asn Gly Val Val Arg Asn Trp Asp Asp Met Cys His Val Trp
              5
                                 10
<210> 9
<211> 17
<212> PRT
<213> Artificial
<220>
<223> synthetic SS1 inactive control peptide
<220>
<221> peptide
<222> (1)..(17)
<400> 9
Gly Asp Arg Val Leu Ser Arg Leu His Ser Val Arg Glu Arg Ile Gly
                                  10
Lys
<210> 10
<211> 18
<212> PRT
<213> Artificial
<223> SS2 active peptide based on Zea mays SuSy 377-392
<400> 10
```

Gly Ile Val Arg Lys Trp Ile Ser Arg Phe Glu Val Trp Pro Tyr Leu

1 5 10 15

Lys Lys

<210> 11 <211> 15 <212> PRT <213> Artificial <220> <223> SS11 inactive synthetic peptide <400> 11 Ile Leu Arg Val Pro Phe Arg Thr Glu Asn Gly Ile Val Arg Lys 10 <210> 12 <211> 16 <212> PRT <213> Artificial <220> <223> SS12 active synthetic peptide <400> 12

Gly Ile Val Arg Lys Trp Ile Ser Arg Phe Glu Val Trp Pro Tyr Leu 1 5 10 15

<210> 13

<211> 16

<212> PRT

<213> Artificial

<220>

<223> SS15 less active synthetic peptide

<220>

<221> SITE

<222> (6)..(6)

<223> replaced Tryptophan residue with Alanines

<220>

<221> SITE

<222> (13)..(13)

<223> replaced Tryptophan residue with Alanine

<400> 13

Gly Ile Val Arg Lys Ala Ile Ser Arg Phe Glu Val Ala Pro Tyr Leu

1 5 10 15

<210> 14 <211> 9 <212> PRT <213> Artificial <220> <223> SS16 less active synthetic peptide corresponding to short middle portion of SS12 synthetic peptide <400> 14 Ser Arg Phe Glu Val Trp Pro Tyr Leu 5 <210> 15 <211> 19 <212> PRT <213> Artificial <220> <223> NR11 inactive synthetic peptide <400> 15 Gly Pro Thr Leu Lys Arg Thr Ala Ser Thr Ala Phe Met Asn Thr Thr Ser Lys Lys <210> 16 <211> 14 <212> PRT <213> Artificial <220> <223> SP26 inactive synthetic peptide <400> 16 Gly Arg Met Arg Arg Ile Ala Thr Val Glu Met Met Lys Lys 5 10 <210> 17 <211> 8 <212> PRT <213> Artificial

<223> Small block of SS12 sequence required for less active synthetic

```
<400> 17
Trp Ile Ser Arg Phe Glu Val Trp
<210> 18
<211> 10
<212> PRT
<213> Artificial
<220>
<223> SP3 inactive synthetic peptide
<400> 18
Arg Arg Ile Ser Ser Val Glu Asp Lys Lys
<210> 19
<211> 20
<212> PRT
<213> Artificial
<220>
<223> synthetic peptide of Drosophila melanogaster Actin protein
      consensus sequence
<400> 19
Glu His Gly Ile Val Thr Asn Trp Asp Asp Met Glu Lys Ile Trp His
His Thr Phe Tyr
          20
<210> 20
<211> 15
<212> PRT
<213> Artificial
<223> synthetic peptide derived from Homo sapiens ARP1 protein
<400> 20
Glu His Gly Val Val Arg Asp Trp Asn Asp Met Glu Arg Ile Trp
                           10
```

peptide

<210> 21 <211> 15

```
<212> PRT
<213> Artificial
<220>
<223> synthetic peptide derived from Homo sapiens ARP2 protein
<400> 21
Glu Asn Gly Ile Val Arg Asn Trp Asp Asp Met Lys His Leu Trp
                                10
<210> 22
<211> 6
<212> PRT
<213> Artificial
<220>
<223> Core minimum block of SS12 sequence required for less active
      synthetic peptide
<400> 22
Ser Arg Phe Glu Val Trp
<210> 23
<211> 13
<212> PRT
<213> Artificial
<220>
<223> SS synthetic peptide B
<400> 23
Trp Ile Ser Arg Phe Glu Val Trp Pro Tyr Leu Lys Lys
              5
                                 10
<210> 24
<211> 20
<212> PRT
<213> Artificial
<220>
<223> SS synthetic peptide C
<400> 24
Glu Asn Gly Ile Val Arg Lys Trp Ile Ser Arg Phe Glu Val Trp Pro
              5
                                 10
```

Tyr Leu Lys Lys

```
<211> 16
<212> PRT
<213> Artificial sequence
<220>
<223> Consensus sequence of Synthetic Susy and ARP sequences
<220>
<221> VARIANT
<222> (2)..(2)
<223> X=His or Asn
<220>
<221> VARIANT
<222> (5)..(5)
<223> X= Val or Leu
<220>
<221> VARIANT
<222> (6)..(6)
<223> X= Arg, Tyr or Lys
<220>
<221> VARIANT
<222> (7)..(7)
<223> X= Lys, Asn, Asp
<220>
<221> VARIANT
<222> (9)..(9)
<223> X= Ile or Asp
<220>
<221> VARIANT
<222> (10)..(10)
<223> X= Ser or Asp
<220>
<221> VARIANT
<222> (11)..(11)
<223> X= Arg or Met
<220>
<221> VARIANT
<222> (12)..(12)
<223> X= Glu, Phe, Cys, or Lys
<220>
<221> VARIANT
<222> (13)..(13)
<223> X= Glu, Asp, Lys, Arg, or His
```

<210> 25

```
<221> VARIANT
<222> (14)..(14)
<223> X= Ile, Leu, or Val
<220>
<221> VARIANT
<222> (16)..(16)
<223> X= Phe-Tyr-Leu or His-His-Thr-Phe
<220>
<221> VARIANT
<222> (16)..(16)
<223> X= Phe-Tyr-Leu or His-His-Thr-Phe-Tyr
<400> 25
Glu Xaa Gly Ile Xaa Xaa Xaa Trp Xaa Xaa Xaa Xaa Xaa Trp Xaa
              5
                                 10
<210> 26
<211> 15
<212> PRT
<213> Artificial sequence
<220>
<223> Motif for a synthetic peptide which causes actin bundling and
      inhbits actin depolymerization
<220>
<221> VARIANT
<222> (2)..(2)
<223> X = any amino acid
<220>
<221> VARIANT
<222> (4)..(4)
<223> X = Ile or Val
<220>
<221> VARIANT
<222> (5)..(7)
<223> X = any amino acid
<220>
<221> VARIANT
<222> (9)..(14)
<223> X = any amino acid
<400> 26
Glu Xaa Gly Xaa Xaa Xaa Xaa Trp Xaa Xaa Xaa Xaa Xaa Trp
              5
                                 10
```

```
<211> 15
<212> PRT
<213> Artificial sequence
<220>
<223> Motif for a synthetic peptide that causes actin bundling and
      inhibits actin depolymerization
<220>
<221> VARIANT
<222> (2)..(2)
<223> X= Lys, Arg, or His
<220>
<221> VARIANT
<222> (5)..(5)
<223> X= Ala, Val, Leu, Ile, Phe, Trp, Pro, or Met
<220>
<221> VARIANT
<222> (6)..(6)
<223> X= Lys, Arg, or His
<220>
<221> VARIANT
<222> (7)..(7)
<223> X= any amino acid
<220>
<221> VARIANT
<222> (9)..(13)
<223> X= any amino acid
<220>
<221> VARIANT
<222> (14)..(14)
<223> X= Ala, Val, Leu, Ile, Phe, Trp, Pro, or Met
<400> 27
Glu Xaa Gly Ile Xaa Xaa Xaa Trp Xaa Xaa Xaa Xaa Xaa Trp
               5
                                  10
<210> 28
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Formula (I) for active synthetic peptides
<220>
<221> VARIANT
```

<222> (3)..(3)

```
\langle 223 \rangle X = Ile, Val, or Leu
<220>
<221> VARIANT
<222> (4)..(4)
<223> X = Arg, Lys, Asn, or Thr
<220>
<221> VARIANT
<222> (5)..(5)
<223> X = Arg, Lys, Asn, or Asp
<220>
<221> VARIANT
<222> (7)..(7)
\langle 223 \rangle X = Ile, Asp, Asn, or Glu
<220>
<221> VARIANT
<222> (8)..(8)
\langle 223 \rangle X = Ser, or Asp
<220>
<221> VARIANT
<222> (9)..(9)
\langle 223 \rangle X = Arg, Met, or Ala
<220>
<221> VARIANT
<222> (10)..(10)
\langle 223 \rangle X = Phe, or Glu
<220>
<221> VARIANT
<222> (11)..(11)
<223> X =Asp, Glu, Lys, Arg, or His
<220>
<221> VARIANT
<222> (12)..(12)
\langle 223 \rangle X =Val, or Ile
<220>
<221> VARIANT
<222> (14)..(14)
\langle 223 \rangle X =Pro, or His
<220>
<221> VARIANT
<222> (15)..(15)
<223> X =Tyr, or His
<220>
<221> VARIANT
<222> (16)..(16)
<223> X =Leu, or Thr
```

```
<400> 28
```

```
10
<210> 29
<211> 13
<212> PRT
<213> Artificial Sequence
<220>
<223> Formula (II) for synthetic active peptides
<220>
<221> VARIANT
<222> (3)..(3)
<223> X = Ala, Val, Leu, Ile, Phe, Trp, Pro, or Met
<220>
<221> VARIANT
<222> (4)..(4)
\langle 223 \rangle X = Lys, Arg, or His
<220>
<221> VARIANT
<222> (5)..(5)
<223> X = any amino acid
<220>
<221> VARIANT
<222> (7)..(11)
<223> X = any amino acid
<220>
<221> VARIANT
<222> (12)..(12)
<223> X = Lys, Arg, or His
<400> 29
Gly Ile Xaa Xaa Xaa Trp Xaa Xaa Xaa Xaa Xaa Trp
              5
                                  10
```

Gly Ile Xaa Xaa Xaa Trp Xaa Xaa Xaa Xaa Xaa Trp Xaa Xaa Xaa